

NSW Immunisation Schedule

updated March 2019



| AGE | DISEASE | VACCINE |
|---|--|-------------------------------------|
| CHILDHOOD VACCINES | | |
| Birth | Hepatitis B | H-B-VAX II OR ENGERIX B |
| 6 weeks | Diphtheria, tetanus, pertussis, <i>Haemophilus influenzae</i> type b, hepatitis B, polio | INFANRIX HEXA |
| | Pneumococcal | PREVENAR 13 |
| | Rotavirus | ROTARIX |
| 4 months | Diphtheria, tetanus, pertussis, <i>Haemophilus influenzae</i> type b, hepatitis B, polio | INFANRIX HEXA |
| | Pneumococcal | PREVENAR 13 |
| | Rotavirus | ROTARIX |
| 6 months [‡] | Diphtheria, tetanus, pertussis, <i>Haemophilus influenzae</i> type b, hepatitis B, polio | INFANRIX HEXA |
| 12 months | Meningococcal ACWY | NIMENRIX |
| | Pneumococcal | PREVENAR 13 |
| | Measles, mumps, rubella | MMR II OR PRIORIX |
| 18 months | Diphtheria, tetanus, pertussis | INFANRIX OR TRIPACEL |
| | Measles, mumps, rubella, varicella | PRIORIX TETRA OR PROQUAD |
| | <i>Haemophilus influenzae</i> type b | ACT-HIB |
| 4 years [§] | Diphtheria, tetanus, pertussis, polio | INFANRIX-IPV OR QUADRACEL |
| ADOLESCENT VACCINES - SCHOOL VACCINATION PROGRAM | | |
| Year 7 | Diphtheria, tetanus, pertussis | BOOSTRIX |
| | Human papillomavirus (2 doses) | GARDASIL 9 |
| Year 10 | Meningococcal ACWY | NIMENRIX |
| ADULT VACCINES | | |
| Pregnant women | Influenza (Annually-any trimester) | INFLUENZA |
| | Pertussis (Third trimester, ideally 28-32 weeks) | BOOSTRIX OR ADACEL |
| 65 years and over | Influenza (Annually) | FLUAD |
| | Pneumococcal (One dose)* | PNEUMOVAX 23 |
| 70 years (Catch-up for 71-79 years until 31 October 2021) | Zoster | ZOSTAVAX |
| AT RISK GROUPS | | |
| 6 months and over with medical risk conditions [†] | | |
| All children 6 months to < 5 years | Influenza (annual) | INFLUENZA |
| Aboriginal people 6 months and over | | |
| Aboriginal people 15-49 years with medical risk factors | | |
| Aboriginal people 50 years and over | Pneumococcal* | PNEUMOVAX 23 |
| 65 years and over | | |

[†]Refer to the current online edition of The Australian Immunisation Handbook for all medical risk factors and conditions.

^{*}Refer to the current edition of The Australian Immunisation Handbook for timing of doses. [‡] At risk children require an additional dose of pneumococcal (Prevenar 13). [§] At risk children require an additional dose of pneumococcal (Pneumovax 23).